

Wood Veneer or Plastic Laminated HM Doors

We offer a wide range of factory-applied facings for our specialty HM doors. Numerous species of wood, and styles of cut, are available, as well as decorative plastic laminate in a wide range of colors and patterns.

1. For UL fire-rated doors, only the faces may be covered, since the veneer used is of sufficient thickness that to cover the edges would require under sizing of the basic door to a width which would produce an unacceptable clearance in the event of a fire, or exceed that permitted for safety.
2. Veneered doors will be approximately 2" (50.8 mm) thick, instead of the standard 1-3/4" (44.5 mm). We adjust the hardware mortising and, if required, depth of frame rabbet to suit.
3. Pairs can be sequence matched, or book-matched. Doors with transom panels above will have matching grain across the joint. All such multi-part assemblies will be matched on both sides.
4. Krieger does offer factory finishing of these doors. With their substantial weight, they are prone to incurring cosmetic damage during shipping and handling, no matter how carefully they are packaged. Consistent with cancelled damage freight claims the doors must be inspected within 15 working days on receipt.
5. It is crucial that any veneered doors be properly stored following arrival on site. They **MUST** be stored inside, away from ALL moisture, and any temperature extremes. Edges need to be protected, and air should be allowed to circulate between the doors. Unfinished doors must be finished within 30 days of delivery.
6. We provide wood veneering on our HM acoustic doors in those cases where a greater STC rating is required than may be obtained with an actual wood door, as well as where the greater strength and security of a metal door is desired. With the wood facing, only compression-type seals are effective, the standard restrictions regarding use of electric strikes, automatic flush bolts, mortised vertical rod exit devices, etc., still apply. Please see our finish hardware bulletins for further information.
7. Doors excluded from warranty:
 - a. Krieger steel doors that are veneered are not intended for exterior usage. Any such usage on exterior assemblies will void warranty, and relieve Krieger of any duty or responsibilities.
 - b. The appearance of Field finished doors.
 - c. Natural variations in the color or texture of wood are not to be considered as defects.
 - d. Unsatisfactory appearance caused by handling, job site finishing and installation.